

FOR OFFICIAL USE ONLY
DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)



DECK LOG BOOK

OF THE

U.S.S. WADDSELL

DDG-24

IDENTIFICATION NUMBER

COMMANDED BY

CDR. C.J. BOYD

U.S.N.

Attached to

132

Division,

13

Squadron,

3

Flotilla,

1ST

Fleet,

11TH

Naval District,

Commencing

0000

1 SEPT

19 64,

(zone time and date)

at

BREMERTON

WASHINGTON

(location)

and ending

2400

30 SEPT

19 64,

(zone time and date)

at

BREMERTON

WASHINGTON

(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVY LOG BOOK
U.S. NAVY



DECK LOG BOOK

FOR THE

U.S.S. *Wasp*

Wasp

COMBATANT

U.S.N.

Division

Department

Branch

Rate

Naval District

Commander

Deck Officer

Deck Officer

Deck Officer

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION +TT DATE 1 SEPT 1964
AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	205	1.5	10	CLR	29.81	55	65						
02	210	1	10	CLR	29.81	53	53						
03	185	2	10	CLR	29.81	53	53						
04	205	2	10	CLR	29.81	53	51						
05	180	2	10	OVC	29.80	52	51	10	1000	ST			
06	181	3	10	OVC	29.80	53	51	10	1000	ST			
07	180	3	10	OVC	29.80	54	52	10	1000	ST			
08	180	3	10	OVC	29.80	58	56	10	1000	ST			
09	180	3	10	OVC	29.80	54	58	10	1000	ST			
10	190	2	8	OVC	29.88	54	59	10	1500	NS/AS			
11	190	2	8	OVC	29.88	62	62	10	1500	NS/AS			
12	190	2	8	OVC	29.88	65	62	10	1500	NS/AS			
13	190	2	8	OVC	29.88	68	62	10	1500	NS/AS			
14	190	2	8	OVC	29.89	68	62	10	1500	NS/AS			
15	190	2	8	OVC	29.89	67	61	10	1500	NS/AS			
16	190	2	10	OVC	29.90	67	61	10	1500	NS/AS			
17	190	2	10	OVC	29.90	66	61	10	2000	SC			
18	190	2	10	OVC	29.90	65	61	10	2000	SC			
19	190	2	10	BKN	29.90	65	60	10	3000	CU			
20	192	2	8	BKN	29.92	65	60	10	3000	CU			
21	192	2	10	BKN	29.92	66	63	5	3000	CU			
22	192	2	10	BKN	29.93	66	61	5	3000	CU			
23	192	2	10	BKN	29.93	68	68	5	3000	CU			
24	192	2	10	BKN	29.93	63	60	5	3000	CU			

POSITION	ZONE	TIME
0800		
L	BY	
L	BY	
1200		
L	BY	
L	BY	
2000		
L	BY	
L	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi-bili-ty (90-99)	WEATHER		PRES-SURE Baro-meter Corrected (mb)	Air Temp. (°F)	CLOUDS				
		Occi-dent	Latitude	Longitude			Direction	Speed		Present	Past			Amount of Clouds (Coded)	Type C _L (0-9)	Height C _L (Coded)	Type C _M (0-9)	Type C _H (0-9)
		(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)			N _h	C _L	h	C _M	C _H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE					
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation	
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e	
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

DM Restelbo LT.

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)Tuesday 1 September 1964
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock Number Two, Puget Sound Naval Shipyard, Bremerton, Washington, receiving miscellaneous services from the dock. SOPA is C.O. USS SACRAMENTO (AOE-1). Ships present include various units of the U.S. Pacific Fleet, yard and district craft. Material condition YOKE is set. 0103 HICKERSON, C.E., 290 35 38, SA, USN, was delivered on board by the Shore Patrol, Bremerton, Washington, for safe keeping.

J. L. Agle
LTJG USN

04-08 Docked as before. 0735 Mustered the crew at quarters. Absentees: none.

R. L. Agle
ENS, USN

08-12 Docked as before.

R. L. Agle
ENS, USN

12-16 Docked as before. 1320 In accordance with Commanding Officer, U.S. Naval Ship Missile Systems orders serial T-5-9702 of 28 August 1964, LT. C.A. SHERRON, USN, 640306, reported on board for temporary additional duty in connection with plans and schedule of SQT on USS WADDELL.

M. S. Postuma
ENS SC USNR

16-18 Docked as before.

J. L. Stennett
LTJG USN

18-20 Docked as before. 1900 Held fire drill. 1911 Secured from fire drill.

J. L. Stennett
LTJG USN

20-24 Docked as before.

R. L. Agle
ENS, USN

APPROVED:

EXAMINED:

C. J. Boyd COR

U. S. N. COMMANDING

R. L. Agle LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION ITT DATE 2 SEPT 19 64AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	192	2	10	CLR	29.93	51	51	2	3000	CU			
02	192	2	10	CLR	29.93	56	53	2	3000	CU			
03	192	2	10	CLR	29.93	56	53	2	3000	CU			
04	192	2	10	CLR	29.93	56	50	2	3000	CU			
05	191	1	8	OVC	29.93	57	52	1	3000	ST			
06	191	1	8	OVC	29.93	57	53	2	3000	ST			
07	191	2	8	OVC	30.40	57	53	3	3000	ST			
08	191	2	8	R	30.10	58	56	8	3000	ST			
09	191	2	7	R	30.20	56	55	8	3000	ST			
10	191	2	8	OVC	30.24	57	55	9	3000	ST			
11	191	2	8	OVC	30.22	58	56	10	3000	ST			
12	191	2	8	OVC	30.20	59	57	10	3000	ST			
13	190	4	8	OVC	30.20	60	59	10	1500	ST			
14	190	6	8	OVC	30.19	61	59	10	1500	ST			
15	190	6	8	BKN	30.17	64	60	8	2000	SC			
16	190	6	8	BKN	30.16	66	60	7	2000	SC			
17	190	6	8	BKN	30.15	67	57	7	2000	SC			
18	190	6	8	BKN	30.14	67	57	7	2000	SC			
19	190	6	8	BKN	30.13	61	57	7	2000	SC			
20	190	2	8	BKN	30.12	61	57	8	3000	SC			
21	192	2	8	BKN	30.16	61	57	5	3000	SC			
22	193	2	8	BKN	30.17	61	57	5	3000	SC			
23	192	2	8	CLR	30.18	60	55						
24	190	2	8	CLR	30.18	59	55						

POSITION	ZONE	TIME
0800		
L	BY	
L	BY	
1200		
L	BY	
L	BY	
2000		
L	BY	
L	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi-bili-ty (90-99)	WEATHER		PRES-SURE Baro-meter Cor-rected (mb)	Air Temp. (°F)	CLOUDS				
		Occi-dent (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direction (True) (00-36)	Speed (True) (Knots)		Present	Past			Amount of Clouds (Coded)	Type C (0-9)	Height C (Feet) (Coded)	Type C _M (0-9)	Type C _H (0-9)
		(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	N _h	C _L	h	C _M	C _H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								
				8				0			1				1								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

W. Kesteloot LT

U. S. N. NAVIGATOR

250

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP

WADDELL (DDG-24)

WEDNESDAY, 2 SEPT. 1964

(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK NUMBER TWO(2) PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON, RECEIVING MISCELLANEOUS SERVICES FROM THE DOCK. SOPA IS C.O., USS SACRAMENTO, (AOE-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE IS SET THROUGHOUT THE SHIP.

N. Posthumus
ENS. SC USNR

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT FOUL WEATHER PARADE, ABSENTEES: BATTLE, M.J., 691-62-48, SA, USN, AND ANDERSON, M.I., 695-09-70, SN, USN, ABSENT WITHOUT AUTHORITY FROM QUARTERS. 0959 BATTLE, M.J., 691-62-48, SA, USN, AND ANDERSON, M.I., 695-09-70, SN, USN, RETURNED ON BOARD HAVING BEEN AWOL SINCE 0720 THIS DATE.

J. A. Herriott
LTJG USN

08-12 DOCKED AS BEFORE. 0810 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS:

JOHNSON, H.W., 541-06-83, SN, USN, OFFENSE: APPEARED ON THE STREET IN IMPROPER UNIFORM IN POSSESSION OF TWO (2) LIBERTY CARDS, ATTEMPTED TO INTERFERE WITH THE DUTIES OF THE ARMED FORCES POLICE, USED DISRESPECTFUL LANGUAGE AND DEPORTMENT TOWARD NON-COMMISSIONED OFFICERS WHO WERE IN THE PERFORMANCE OF DUTY AS ARMED FORCES POLICE ON 22 AUGUST 1964. PUNISHMENT: RESTRICTED TO LIMITS OF SHIP FOR TWENTY-ONE (21) DAYS AND TWENTY-ONE DAYS EXTRA DUTIES.

C. A. Giggs
ENS. USN

12-16 DOCKED AS BEFORE. 1200 CAPTAIN DEPARTED ON FIFTEEN (15) DAYS LEAVE.

D. A. Shannon
LTJG, USNR

16-20 DOCKED AS BEFORE.

C. A. Giggs
ENS. USN

20-24 DOCKED AS BEFORE.

C. A. Giggs
ENS USN

APPROVED:

EXAMINED:

R. L. Sage, LCDR

U. S. N. COMMANDING

W. Kesterboot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG 24 ZONE DESCRIPTION +7T DATE 3 SEPT 1964
AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	190	2	8	CLR	30.19	53	55						
02	190	3	8	CLR	30.18	53	55						
03	190	3	8	CLR	30.17	55	55						
04	190	3	5	BKN	30.21	54	52	7	2000	SC			
05	190	1	8	BKN	30.20	54	52	7	2000	SC			
06	190	1	1	OVC	30.20	55	53	9	2000	SC			
07	190	1	1	OVC	30.24	56	53	10	1000	SC			
08	190	2	3	OVC	30.25	55	53	10	2000	SC			
09	190	2	3	OVC	30.25	55	53	8	2000	SC			
10	185	2	4	OVC	30.25	54	53	6	2000	SC			
11	185	2	4	OVC	30.25	54	52	4	2000	SC			
12	190	2	10	CLR	30.20	70	60						
13	190	2	10	CLR	30.20	70	61						
14	190	2	10	CLR	30.18	70	61						
15	190	3	10	CLR	30.16	66	60						
16	190	2	16	CLR	30.12	64	60						
17	193	2	10	CLR	30.12	64	60						
18	193	2	10	CLR	30.11	64	59						
19	193	2	10	CLR	30.00	63	59						
20	192	2	10	CLR	30.08	60	58						
21	192	2	10	CLR	30.10	59	56						
22	195	2	10	CLR	30.10	59	58						
23	193	2	10	CLR	30.10	59	58						
24	195	2	10	CLR	30.10	59	58						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp. (°F)	CLOUDS				
		Oc- tant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (True) (00-36)	Speed (True) (Knots)		Present	Past			Amount of Clouds C _L (Coded)	Type C _L (0-9)	Height C _L (Coded)	Type C _M (0-9)	Type C _H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE					
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation	
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e	
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

W. Kesteloot LT

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
(When Filled In)

WFO 100-100000

REPORT OF INVESTIGATION

FIELD NO.

DATE OF REPORT

1961

TO: SAC, NEW YORK (100-100000) FROM: SAC, NEW YORK (100-100000)

SUBJECT: [Illegible]

RE: [Illegible]

1. [Illegible]

2. [Illegible]

3. [Illegible]

4. [Illegible]

5. [Illegible]

6. [Illegible]

7. [Illegible]

8. [Illegible]

9. [Illegible]

10. [Illegible]

11. [Illegible]

12. [Illegible]

13. [Illegible]

14. [Illegible]

15. [Illegible]

16. [Illegible]

17. [Illegible]

18. [Illegible]

19. [Illegible]

20. [Illegible]

21. [Illegible]

22. [Illegible]

23. [Illegible]

24. [Illegible]

25. [Illegible]

26. [Illegible]

27. [Illegible]

28. [Illegible]

29. [Illegible]

30. [Illegible]

31. [Illegible]

32. [Illegible]

33. [Illegible]

34. [Illegible]

35. [Illegible]

36. [Illegible]

37. [Illegible]

38. [Illegible]

39. [Illegible]

40. [Illegible]

EXAMINED

U. S. DEPARTMENT OF JUSTICE

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)THURSDAY, 3 SEPT. 1964
(Day) (Date) (Month)

~~00-04~~ RESTING ON KEEL BLOCKS IN DRY DOCK NUMBER TWO (2), PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON, RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER U.S.S. SACRAMENTO (AOE-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE 'IS SET THROUGHOUT THE SHIP.

C. A. Griggs
ENS. USN

~~04-08~~ DOCKED AS BEFORE. ~~0720~~ MUSTERED THE CREW AT QUARTERS; ABSENTEES: NONE. ~~0752~~ LT. COLE A. SHERRON, USN, 640306 WAS DETACHED FROM THIS SHIP, PURSUANT TO C.O., USNSMSES, ORDERS SERIAL T-5-9902 OF 28 AUGUST 1964.

C. A. Griggs
ENS. USN

~~08-12~~ DOCKED AS BEFORE

B. J. Mallory
LTJG USNR

~~12-16~~ DOCKED AS BEFORE

L. J. MacFarland
LTJG USN

~~16-20~~ DOCKED AS BEFORE

R. E. Hopper
ENS, SC, USN

~~20-24~~ DOCKED AS BEFORE

R. E. Hopper
ENS, SC, USN

APPROVED:

EXAMINED:

R. J. Sage Sds

U. S. N. COMMANDING

R. W. Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION +7T DATE 41 SEPT 1964
AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	195	1	10	CLR	30.3	56.5	54						
02	195	2	10	CLR	30.3	56.5	54						
03	190	2	10	CLR	30.2	55.5	53						
04	191	2	6	CLR	30.2	56.5	53						
05	192	2	6	CLR	30.2	56.5	54						
06	193	2	6	CLR	30.2	56.5	53						
07	192	2	6	CLR	30.1	58.5	53						
08	192	2	6	CLR	30.08	60.5	54						
09	195	3	6	CLR	30.08	66.6	62						
10	192	2	7	CLR	30.08	70.6	62						
11	194	2	7	CLR	30.08	72.6	64						
12	196	2	7	CLR	30.08	73.6	65						
13	195	2	7	CLR	30.06	73.6	66						
14	195	2	7	CLR	30.06	73.6	66						
15	192	2	7	CLR	30.08	73.6	66						
16	192	2	10	CLR	29.99	71.6	62						
17	193	2	10	CLR	29.98	72.6	61						
18	192	2	10	SCT	29.98	70.6	62	1	2000	SC			
19	192	2	10	SCT	29.97	67.6	62	1	2000	SC			
20	192	2	10	SCT	29.97	63.6	60	1	2000	SC			
21	191	2	9	SCT	29.98	62.5	57	1	2000	SC			
22	191	2	9	SCT	29.98	60.5	56	1	2000	SC			
23	190	2	8	SCT	29.98	59.5	55	1	2000	SC			
24	190	2	8	SCT	29.98	58.5	54	1	2000	SC			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi-bili-ty (90-99)	WEATHER		PRES-SURE Baro-meter Corrected (mb)	Air Temp. (°F)	CLOUDS				
		Occi-dent	Latitude	Longitude			Direction	Speed		Present	Past			Amount of Clouds (Coded)	Type C (0-9)	Height (Coded)	Type M (0-9)	Type H (0-9)
		(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)			N _h	C _L	h	C _M	C _H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a	L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE							
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	of	of	Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43			
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e			
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

M. Kesteloot LT

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)FRIDAY 4 September 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK NUMBER TWO, PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER USS SACRAMENTO (AOE-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

James F. Kraft
ENS, USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

James F. Kraft
ENS, USN

08-12 DOCKED AS BEFORE.

D. B. Kaiser
LTJG USNR

12-16 DOCKED AS BEFORE. 1529 THE COMMANDING OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS:
ACCUSED: BAY, GEORGE L., SA, USN. OFFENSE: ART. 91 - IN THAT BAY WAS DISRESPECTFUL IN DEPARTMENT TOWARDS THE MESS DECK MAA.
ACTION: CORRECTIONAL CUSTODY FOR SEVEN (7) DAYS.
ACCUSED: THOMAS, JACK E., SA, USN. OFFENSE: ART. 91 - IN THAT THOMAS DID ON 3 SEPTEMBER, 1964 DIRECTLY DISOBEY A PROPER ORDER OF A SENIOR PETTY OFFICER. ACTION: CORRECTIONAL CUSTODY FOR SEVEN (7) DAYS.
ACCUSED: KAUTZMAN, JAMES A., FA, USN. OFFENSE: ART. 92 - IN THAT KAUTZMAN FAILED TO OBEY A LAWFUL ORDER ON 3 SEPTEMBER, 1964 TO OBSERVE REVEILLE.
ACTION: CORRECTIONAL CUSTODY FOR SEVEN (7) DAYS.
ACCUSED: ERB, CLARK, SA, USN. OFFENSE: ART. 134 IN THAT ERB DISPLAYED CONDUCT PREJUDICIAL TO GOOD CONDUCT AND DISCIPLINE TENDING TO BRING DISCREDIT TO THE NAVAL SERVICE BY DRINKING AS A MINOR. ACTION: RESTRICTED TO LIMITS OF SHIP FOR FIFTEEN (15) DAYS AND EXTRA DUTIES FOR FIFTEEN (15) DAYS.
ACCUSED: GRIFFIN, ROBERT D., FA, USN. OFFENSE: ART 113 IN THAT GRIFFIN WAS FOUND SLEEPING WHILE ON WATCH IN THE NUMBER TWO (2) ENGINE ROOM. ACTION: RESTRICTED TO LIMITS OF SHIP FOR 21 DAYS AND EXTRA DUTY FOR TWENTY ONE (21) DAYS.

C. G. Brewer
ENS USN

16-20 DOCKED AS BEFORE.

D. B. Kaiser
LTJG USNR

APPROVED:

EXAMINED:

R. Page *Stds*

U. S. N. COMMANDING

W. Westbrock

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

20-24 DOCKED AS BEFORE

D B Kaiser
LTJG USNR

APPROVED:

R. Lage, Cdr

U. S. N. COMMANDING.

EXAMINED:

W. Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION 17T DATE 5 SEPT 1964AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	195	2	8	CLR	29.98	55	52						
02	195	2	8	CLR	29.98	55	52						
03	190	2	8	CLR	29.98	55	52						
04	190	2	8	CLR	29.98	54	52						
05	140	2	8	CLR	29.98	56	53						
06	190	2	6	OVC	29.98	57	54	9	1600	ST			
07	190	2	2	OVC	29.98	58	55	10	1000	ST			
08	190	2	2	OVC	29.98	62	60	10	1000	ST			
09	192	2	3	OVC	29.99	60	57	10	1000	ST			
10	192	2	3	OVC	30.00	56	53	10	1000	ST			
11	191	2	4	OVC	29.99	57	54	10	1000	ST			
12	191	2	4	OVC	29.99	58	56	10	1000	ST			
13	191	2	4	OVC	29.99	58	56	10	1000	ST			
14	191	2	4	OVC	29.98	60	58	10	1000	ST			
15	191	2	4	OVC	29.98	61	59	10	1000	ST			
16	192	2	8	ST	29.90	61	60	5	1600	CI			
17	191	2	8	CLR	29.89	62	60						
18	192	2	6	CLR	29.89	64	60						
19	192	2	5	CLR	29.89	60	57						
20	193	2	5	RKN	29.98	57	52	85	3000	SC			
21	193	2	6	RKN	29.98	56	51	1	3000	SC			
22	190	3	6	CLR	29.98	50	46						
23	190	3	6	CLR	29.98	50	46						
24	191	2	8	CLR	29.88	52	48						

POSITION	ZONE	TIME
0800		
L	BY	
L	BY	
1200		
L	BY	
L	BY	
2000		
L	BY	
L	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi-bili-ty (90-99)	WEATHER		PRES-SURE Baro-meter Corrected (mb)	Air Temp. (°F)	CLOUDS				
		Occi-dent	Latitude	Longitude			Direction	Speed		Present	Past			Amount of Clouds (Coded)	Type C (0-9)	Height C (Coded)	Type C _M (0-9)	Type C _H (0-9)
		(1-7) (GMT)	(0-3, 5-8) (Degrees and tenths)	(Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)			N _h	C _L	h	C _M	C _H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE					
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation	
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e	
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									
				8				0			1				1									

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

U. S. N. NAVIGATOR

U.S. DEPARTMENT OF THE ARMY
OFFICE OF THE ADJUTANT GENERAL

OFFICE OF THE ADJUTANT GENERAL
WASHINGTON, D.C.

ADJUTANT GENERAL'S OFFICE

OFFICE OF THE ADJUTANT GENERAL

ADJUTANT GENERAL'S OFFICE

[Faint, illegible text covering the main body of the page, likely a memorandum or report.]

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)Saturday 5 Sept. 1964
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock number two Puget Sound Naval Shipyard, Bremerton, Washington. Receiving all services from the dock. SOPA is Commanding Officer USS SACRAMENTO (AOB-1). Ships present include various units of the U.S. Pacific Fleet, yard and district craft. Material condition Yoke (modified) is set throughout the ship

QA Guggs
ENS. USN

04-08 Docked as before. 0720 MUSTERED THE CREW ON STATION.
ABSENTEES: NONE.

QA Guggs
ENS. USN

08-12 Docked as before.

W. Posthumus
ENS SC USNR

12-16 Docked as before.

R. L. Agh
ENS USN

16-18 Docked as before.

J. U. Hermelt
LTJG USN

18-20 Docked as before.

R. L. Agh
ENS USN

20-24 Docked as before. 2010 Transferred JONES, G.W., QM2, USN, to U.S. Naval Hospital, Bremerton, Washington, for treatment. Diagnosis: atypical viral pneumonia.

W. Posthumus
ENS SC USNR

APPROVED:

R. L. Page Sdr

U. S. N. COMMANDING

EXAMINED:

M. Westcott Lt

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP

WADDELL (DDG-24)

Sunday 6 September 1964
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock Number Two (2)
Puget Sound Naval Shipyard, Bremerton, Washington.
Receiving all services from the dock. SOPA is Com-
manding Officer USS SACRAMENTO (AOE-1). Ships
present include various units of the U.S. Pacific
Fleet, yard and district craft. Material con-
dition Yoke (modified) is set throughout the ship.

J A Skennett
LTJG USN

04-08 DOCKED AS BEFORE.

R. L. Agle
ENS SC USNR

08-12 DOCKED AS BEFORE. 0830 MUSTERED THE CREW ON STATION
ABSENTEES: NONE.

R. L. Agle
ENS USN

12-16 Docked as before.

J A Skennett
LTJG USN

16-18 DOCKED AS BEFORE.

R. L. Agle
ENS SC USNR

18-20 DOCKED AS BEFORE.

R. L. Agle
ENS USN

20-24 Docked as before. 2315 The Shore Patrol detail consisting
of OWEN, J.D., 3707986, MM3 USN, returned to the ship, having
completed temporary duty.

J A Skennett
LTJG USN

APPROVED:

R. L. Agle

U. S. N. COMMANDING

EXAMINED:

R. L. Agle

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
(25-1-55) 117 25-1-55

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP

WADDELL (DDG-24)

MONDAY 7 SEPTEMBER 1964

(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO (2) PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE DOCK. SODA IS ^{CAPT. GANTAR} COMMANDING OFFICER, USS SACRAMENTO (AOE-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. MATERIAL CONDITION YAKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

W. Posthumus
ENS SC USNR

04-08 DOCKED AS BEFORE.

R. L. Leigh
ENS USN

08-12 Docked AS BEFORE. MUSTERED THE CREW ON STATION. No UNAUTHORIZED ABSENTEES.

H. M. [Signature]
LTJG, USN

12-16 DOCKED AS BEFORE.

W. M. [Signature]
ENS USN

16-18 DOCKED AS BEFORE.

James F. Kraft
ENS. USN

18-20 DOCKED AS BEFORE.

James F. Kraft
ENS. USN

20-24 DOCKED AS BEFORE.

James F. Kraft
ENS. USN

APPROVED:

R. Hage, Pldr

U. S. N. COMMANDING

EXAMINED:

W. M. [Signature]

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)TUESDAY 8 SEPTEMBER 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK NUMBER TWO
PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING
ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER.
USS SACRAMENTO (AOE-1). SHIPS PRESENT INCLUDE VARIOUS UNITS
OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL
CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

James F. Kraft
ENS. USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS.
ABSENTEES: NONE.

James F. Kraft
ENS. USN

08-12 DOCKED AS BEFORE.

C. M. Butcher
ENS. USN

12-16 Docked as before.

D. B. Kaiser
LTJG USNR

16-18 Docked as before

S. C. Brewer
ENS. USN

18-24 Docked as before

D. B. Kaiser
LTJG USNR

APPROVED:

R. L. Sage

U. S. N. COMMANDING

EXAMINED:

D. W. Kesteloot LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPER-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION TT DATE 9 SEPT 19 64
AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	360	3	4	BKN	29.98	52	50	9	5000	ST			
02	340	3	6	BKN	29.98	51	49	9	5600	ST			
03	340	4	10	BKN	29.98	51	48	9	5600	ST			
04	340	4	9	BKN	29.98	51	48	9	5600	ST			
05	325	2	9	BKN	29.98	54	44	9	5600	ST			
06	335	2	10	BKN	29.98	54	44	9	5600	ST			
07	345	3	10	BKN	29.98	52	46	9	5600	AS/NS			
08	080	2	4	OVC	30.12	55	52	10	5600	AS/NS			
09	090	2	4	OVC	30.12	55	52	10	5600	AS/NS			
10	145	2	4	SC	30.12	62	54	4	5600	AS/NS			
11	200	2	7	SC	30.12	71	59	5	5600	AS/NS			
12	090	3	9	CLR	30.01	74	60						
13	070	2	9	CLR	30.12	67	63						
14	065	5	10	CLR	30.12	69	61						
15	000	10	10	CLR	30.10	70	58						
16	330	6	10	SC	30.10	72	58	2	6500	AC			
17	350	6	10	SC	30.09	71	60	2	6600	SC			
18	005	5	10	SC	30.08	69	60	1	6600	SC			
19	355	6	8	SC	30.08	67	59	1	6600	SC			
20	350	2	7	CLR	30.08	63	57						
21	325	3	9	CLR	30.08	63	54						
22	110	1	8	CLR	30.10	60	53						
23	130	2	8	CLR	30.10	55	51						
24	135	2	8	CLR	30.10	55	52						

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 — CELESTIAL
2 — ELECTRONIC
3 — VISUAL
4 — D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi-bili-ty (90-99)	WEATHER		PRES-SURE Baro-meter Corrected (mb)	Air Temp. (°F)	CLOUDS				
		Oc-tant	Latitude	Longitude			Direction	Speed		Present	Past			Amount of Clouds (Coded)	Type C (0-9)	Height Clouds (Coded)	Type C _M (0-9)	Type C _H (0-9)
		(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)							
		(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)							
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE							
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	of	of	Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43			
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e			
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

W. Kesteloot LT.

U. S. N. NAVIGATOR

U.S. GOVERNMENT PRINTING OFFICE
1964 O 354-754

OFFICE OF THE SECRETARY OF DEFENSE

FORM 100-10

1. NAME (Last, first, middle initial) _____

2. SOCIAL SECURITY NUMBER _____

3. DATE OF BIRTH (Month, day, year) _____

4. PLACE OF BIRTH (City, State, Country) _____

5. GRADE OR RATE _____

6. ORGANIZATION _____

7. POSITION _____

8. DATE OF ENTRY INTO SERVICE _____

9. DATE OF SEPARATION _____

10. REASON FOR SEPARATION _____

11. GRADE OR RATE AT SEPARATION _____

12. ORGANIZATION AT SEPARATION _____

13. POSITION AT SEPARATION _____

14. DATE OF ENTRY INTO SERVICE _____

15. DATE OF SEPARATION _____

16. REASON FOR SEPARATION _____

17. GRADE OR RATE AT SEPARATION _____

18. ORGANIZATION AT SEPARATION _____

19. POSITION AT SEPARATION _____

20. DATE OF ENTRY INTO SERVICE _____

21. DATE OF SEPARATION _____

22. REASON FOR SEPARATION _____

23. GRADE OR RATE AT SEPARATION _____

24. ORGANIZATION AT SEPARATION _____

25. POSITION AT SEPARATION _____

26. DATE OF ENTRY INTO SERVICE _____

27. DATE OF SEPARATION _____

28. REASON FOR SEPARATION _____

29. GRADE OR RATE AT SEPARATION _____

30. ORGANIZATION AT SEPARATION _____

31. POSITION AT SEPARATION _____

32. DATE OF ENTRY INTO SERVICE _____

33. DATE OF SEPARATION _____

34. REASON FOR SEPARATION _____

35. GRADE OR RATE AT SEPARATION _____

36. ORGANIZATION AT SEPARATION _____

37. POSITION AT SEPARATION _____

38. DATE OF ENTRY INTO SERVICE _____

39. DATE OF SEPARATION _____

40. REASON FOR SEPARATION _____

41. GRADE OR RATE AT SEPARATION _____

42. ORGANIZATION AT SEPARATION _____

43. POSITION AT SEPARATION _____

44. DATE OF ENTRY INTO SERVICE _____

45. DATE OF SEPARATION _____

46. REASON FOR SEPARATION _____

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)

WEDNESDAY 9 SEPTEMBER 64
(Day) (Date) (Month) 19

00-04 SHIP ON KEEL BLOCKS IN DRY DOCK NUMBER 2 PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM PIER. SOPA - COMMANDING OFFICER, USS SACRAMENTO (AOE-1), SHIPS PRESENT INCLUDE VARIOUS UNITS OF PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

D B Kassin
LTJG USN

04-08 Docked as before. Mustered the crew at quarters. Absentees: none.

C A Brewster
ENS USN

08-12 Docked as before.

J A Herriott
LTJG USN

12-16 Docked as before.

J A Herriott
LTJG USN

16-18 Docked as before.

J A Herriott
LTJG USN

18-20 Docked as before.

J A Herriott
LTJG USN

20-24 Docked as before.

J A Herriott
LTJG USN

APPROVED:

R. H. Stiles

U. S. N. COMMANDING

EXAMINED:

M. Kesteloot

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
FORM 110 (Rev. 1-55)

ROUGH REMARKS - CONTINUED

Lined area for rough remarks.

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24) THURSDAY 10 SEPT 64
(Day) (Date) (Month) 19 64

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK
NUMBER TWO (2) PUGET SOUND NAVAL SHIPYARD,
BREMERTON, WASHINGTON. RECEIVING ALL SERVICES
FROM THE DOCK. SOPA IS COMMANDING OFFICER
USS SACRAMENTO (AOE-1). SHIPS PRESENT
INCLUDE VARIOUS UNITS OF THE PACIFIC FLEET,
YARD AND DISTRICT CRAFT. MATERIAL CONDITION
YOKE MODIFIED IS SET THROUGHOUT THE SHIP.

J. E. Hopper
ENS, SC USN

04-08 Docked as before. 0650 Mustered the crew at quarters.
Absentees: none

J. A. Thrieth
LTJG USN

08-12 DOCKED AS BEFORE.

C. A. Griggs
ENS. USN

~~12-16~~

[Signature]
Rox

12-16 DOCKED AS BEFORE.

J. A. Thrieth
LTJG, USN

16-20 DOCKED AS BEFORE.

C. A. Griggs
ENS. USN

20-24 DOCKED AS BEFORE.

C. A. Griggs
ENS. USN

APPROVED:

R. Page, Ldr

U. S. N. COMMANDING

EXAMINED:

M. Keitel

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
(28-1-10) 815 215 900

ROUGH REMARKS - CONTINUED

Lined area for rough remarks.

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)FRIDAY 11 SEPT. 1964
(Day) (Date) (Month)

ΦΦ-Φ4 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO(2) U.S. NAVAL SHIPYARD, BREMERTON, WASHINGTON RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER USS SACRAMENTO (AOE-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE MODIFIED IS SET THROUGH-OUT. THE SHIP.

C.A. Gigg
ENS. USN

Φ4-Φ8 DOCKED AS BEFORE. Φ72Φ MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

C.A. Gigg
ENS. USN

08-12 DOCKED AS BEFORE. 0900 WHILE HANDLING PAINT CANS, RINEHART, K.L. 699 22 44, SA, USN, RECEIVED A LACERATION ON THE HEAD, REQUIRING FOUR STITCHES, WHEN A FIVE GALLON PAINT CAN FELL ON HIS HEAD. NOT DUE TO HIS OWN MISCONDUCT. TREATMENT ADMINISTERED BY THE U.S. NAVAL HOSPITAL BREMERTON, WASHINGTON. DISPOSITION: RETURNED ON BOARD FOR DUTY.

B. S. Mallory
LTJG USNR

12-16 DOCKED AS BEFORE. COMMENCED CAPTAIN'S INSPECTION OF LOWER DECKS, HOLDS, AND STOREROOMS. AT 1430.

T.F. Hopper
ENS USN

APPROVED:

R. Sage, Pds

U. S. N. COMMANDING

EXAMINED:

M. Kesteloot Lt

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

16-18 Docked As Before, 1605 SECURED FROM
 COMMANDING OFFICERS ^{15th} ~~7th~~ ZONE INSPECTION, 1615 SET
 MATERIAL CONDITION YOKE MODIFIED.

DJ MacCoy
 LTJG USN

18-20 DOCKED AS BEFORE.

James Z. Kraft
 ENS., USN

20-24 DOCKED AS BEFORE. 2035 (ABOUT) TOMS, D.L., SA.
 DROPPED A SET OF RACKS ON HIS FOOT. HE REPORTED TO
 THE QUARTER DECK AND WAS SENT TO THE BASE HOSPITAL.
 TREATMENT WAS GIVEN TO HIM THERE. HE RETURNED TO THE
 SHIP AT 2200 WITH HIS MEDICAL RECORD AND COMMENTS
 FROM BASE CORPSMEN.

James Z. Kraft
 ENS., USN

APPROVED:

EXAMINED:

R. Page Sdr

U. S. N. COMMANDING.

DW Kesteloot LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WAODELL (DDG 24) ZONE DESCRIPTION +7T DATE SAT 12 SEPT 19 64
AT/PASSAGE FROM DD 2 PSNS BREMERTON WASH

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	330	2	10	CLR	30.03	59	50						
02	358	2	10	CLR	30.04	57	48						
03	010	2.5	10	CLR	30.03	57	47						
04	005	2.5	10	CLR	30.03	56	48						
05	005	2.5	10	CLR	30.03	56	48						
06	350	2	10	CLR	30.03	54	48						
07	335	2	10	CLR	30.03	53	47						
08	245	2.5	10	CLR	30.03	58	52						
09	100	2.5	10	CLR	30.03	64	56						
10	130	2	10	CLR	30.03	70	60						
11	135	2	10	CLR	30.03	70	71						
12	130	4	10	CLR	30.03	76	63						
13	090	4	10	CLR	30.03	75	73						
14	060	3	10	CLR	30.03	75	63						
15	100	2	15	CLR	30.03	78	65						
16	050	2	15	CLR	30.03	77	64						
17	040	3	15	CLR	30.03	76	63						
18	045	4	15	CLR	30.03	74	62						
19	010	4	18	CLR	30.03	73	60						
20	335	2	14	CLR	29.98	66	59						
21	335	2	10	CLR	29.96	63	63						
22	150	2	10	CLR	29.95	66	59						
23	130	2	10	CLR	29.95	59	55						
24	131	2	10	CLR	29.94	57	54						

POSITION	ZONE	TIME
0800		
L	BY	
L	BY	
1200		
L	BY	
L	BY	
2000		
L	BY	
L	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt.	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp.	CLOUDS				
		Occi- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected	Amount of C _L Clouds (Coded)	Type C _L (0-9)	HEIGHT C _L Clouds (Coded)	Type C _M (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height	Indicator	Direction (00-36)	Period	Height				Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation				
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e		
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

RM Kesteloot

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24) SATURDAY 12 SEPT. 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK #2 U.S. NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE PIER. SOPA IS CAPT. GANTER, CO USS SACRAMENTO (AOE-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND HARBOR CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP. -0300
~~LT. DONALD G. HAY, 610680, USN DEPARTED ON 10 DAYS ANNUAL LEAVE.~~ *RMK*

James T. Kraft
ENS, USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED ON STATIONS, ABSENTEES: AHRENDT, L.D. 5280168 RD3 USN AND HOYT, R.J. 6821667 MM3 USN.

James T. Kraft
ENS, USN

08-12 DOCKED AS BEFORE. 0945 AHRENDT L.D. 5280168 RD3 USN RETURNED TO THE SHIP HAVING ^{BEEN} AWAY SINCE 0720 THIS DATE. *RMK*

C. M. Batchelder
Ens USN

12-16 DOCKED AS BEFORE.

C. G. Brewer
Ens USN

16-20 DOCKED AS BEFORE.

C. M. Batchelder
Ens USN

20-24 DOCKED AS BEFORE.

C. M. Batchelder
Ens USN

APPROVED:

R. Sage Sds

U. S. N. COMMANDING

EXAMINED:

RM Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)SUNDAY 13 September 1964
(Day) (Date) (Month)

00-08 Resting on Keel blocks in Dry Dock Number 2 U.S. Naval Shipyard, Bremerton, Washington. Receiving all services from the dock. SOPA is commanding officer USS SACRAMENTO (AOE-1) ships present include various units of the U.S. Pacific Fleet, yard and district craft

D. b. Kaiser
LTJG USNR

08-12 Docked as before 0800 mustered the crew on station Absentees: Hoyt RS. ~~SN~~ 628-16-67 MM3 USN VA since 0720 12 September 1964 ^{96K}

E. G. Brewer
Ens USN

12-16 Docked as before

C. M. Batchelder
Ens USN

16-18 Docked as before

E. G. Brewer
Ens USN

18-20 Docked as before

E. G. Brewer
Ens USN

20-24 Docked as before

D. b. Kaiser
LTJG USNR

APPROVED:

EXAMINED:

R. Page Sdr

U. S. N. COMMANDING

M. Kesteloot Jr.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION +7T DATE 14 SEPT 1964
AT/PASSAGE FROM PSNS BREMERION TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	210	7	10	RKN	3000	60	54	9	2000	CC			
02	190	8	10	RKN	3000	60	55	8	2000	CC			
03	190	7	7	OVC	3000	60	55	10	2500	SC			
04	180	7	5	OVC	3000	60	55	10	2500	SC			
05	180	6	5	OVC	2999	57	53	10	2500	SC			
06	180	8	5	OVC	2999	57	54	10	2500	SC			
07	180	2	7	OVC	3004	57	55	10	2500	SC			
08	185	3	6	OVC	3004	57	55	10	2500	SC			
09	180	2	5	OVC	3004	57	55	10	2500	SC			
10	195	4	5	OVC	3004	56	55	10	2500	SC			
11	195	2	5	OVC	3004	58	55	10	2500	SC			
12	000	1	5	OVC	3010	60	58	10	2500	SC			
13	000	1	5	OVC	3010	68	66	10	2500	SC			
14	060	2	5	OVC	3010	62	60	10	2500	SC			
15	060	2	5	OVC	3010	66	68	10	2500	SC			
16	060	2	5	OVC	3010	62	60	10	2500	SC			
17	110	3	5	OVC	3010	61	62	10	2500	SC			
18	155	6	6	OVC	3010	62	61	10	2500	SC			
19	185	5	6	OVC	3010	59	60	10	2500	SC			
20	180	7	5	OVC	3010	60	59	10	2500	SC			
21	210	4	5	OVC	3010	59	59	10	2500	SC			
22	220	3	5	OVC	3010	59	58	10	2500	SC			
23	190	5	5	OVC	3010	59	59	10	2500	SC			
24	220	6	8	OVC	3004	54	56	10	2500	SC			

POSITION	ZONE	TIME
0800		
L	BY	
1200		
L	BY	
2000		
L	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi-bili-ty (90-99)	WEATHER		PRES-SURE Baro-meter Corrected (mb)	Air Temp. (°F)	CLOUDS				
		Occi-dent	Latitude	Longitude			Dirrec-tion	Speed		Present	Past			Amount of Clouds (Coded)	Type C _L (0-9)	Height C _L (0-9)	Type C _M (0-9)	Type C _H (0-9)
		(1-7) (GMT)	(0-3, 5-8) (Degrees and tenths)	(0-3, 5-8) (Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)	(mb)	(°F)	(0-9)	(0-9)	(0-9)	(0-9)	(0-9)
1	Y	Q	L ₀ L ₀ L ₀	L ₀ L ₀ L ₀	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
				Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e		
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

W. Kesteloot LT

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)

MONDAY 14 SEPTEMBER 1964
(Day) (Date) (Month)

~~00-04~~ RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO
(2) U.S. NAVAL SHIPYARD, BREMERTON, WASHINGTON, RECEIVING
ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER
USS SACRAMENTO (AOE-1). SHIPS PRESENT INCLUDE VARIOUS
UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT
CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGH-
OUT THE SHIP. ~~0234~~ 0240 HOYT RICHARD J. MMB, 682 16 67
RETURNED ON BOARD HAVING BEEN AWOL
SINCE 0720, 12 SEPTEMBER 1964. 002

C.A. Gigger
ENS. USN

04-08 DOCKED AS BEFORE. 0720 MASTERED THE CREW
AT QUARTERS. ABSENTEES: THORNTON, A. 692 65 56,
SA, USN, UNAUTHORIZED ABSENTEE FROM QUARTERS. 004

L.T. Franke
LTJG, USN

08-12 DOCKED AS BEFORE. 0955 SOPA CHANGED TO
COMMANDING OFFICER IN USS CHICAGO (CG11). 1051
THORNTON, A. 692 65 56, SA, USN RETURNED ON BOARD,
HAVING BEEN UNAUTHORIZED ABSENT SINCE 0720 THIS
DATE.

L.T. Franke
LTJG USN

12-16 DOCKED AS BEFORE.

C.A. Gigger
ENS. USN

16-20 DOCKED AS BEFORE.

D.A. Shannon
LTJG, USNR

20-24 DOCKED AS BEFORE.

C.A. Gigger
ENS. USN

APPROVED:

EXAMINED:

R. Sage *Lds*

U. S. N. COMMANDING

M. Kesteloot

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

Lined area for rough remarks.

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)TUESDAY, 15 SEPT, 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK NUMBER TWO (2), U.S. NAVAL SHIPYARD, BREMERTON, WASHINGTON, RECEIVING ALL SERVICES FROM THE DOCK, SOPA IS COMMANDING OFFICER IN USS CHICAGO (CG-11). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP. 0235 DIGGLES, JAMES F., SA, USN, 68 783 36 AND HERNDON, JERRY A., SA, USN, 692 30 37, WERE RETURNED ON BOARD BY THE SHORE PATROL, BREMERTON, WASH., ACCUSED OF BEING DRUNK AND DISORDERLY CONDUCT. DIGGLES, JF, SA, USN, 687 83 36, HAD IN HIS POSSESSION AN ALTERED IDENTIFICATION CARD.

C. A. Hopper
ENS USN

04-08 DOCKED AS BEFORE. MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. A. Hopper
ENS USN

08-12 DOCKED AS BEFORE. 0930 The Acting Commanding Officer held mast and imposed non-judicial punishment as follows: HOYT, Richard J., MM3, USN, OFFENSE: Art. 86 UCMJ - Unauthorized absence 0720, 12 Sept to 0240, 13 Sept 64. Returned aboard on own accord. PUNISHMENT: Reduction to Pay Grade E-3. Punishment suspended for 6 months.

THORNTON, Artist, SA, USN, OFFENSE: Art. 86 UCMJ - Unauthorized absence from 0720, 14 Sept to 1051, 14 Sept 64 (Over liberty). PUNISHMENT: Restricted to limits of the ship for (15) fifteen days.

C. A. Hopper
ENS USN

12-16 DOCKED AS BEFORE.

James T. Kraft
ENS, USN

16-18 DOCKED AS BEFORE.

James T. Kraft
ENS., USN

18-20 DOCKED AS BEFORE.

James T. Kraft
ENS., USN

20-24 DOCKED AS BEFORE.

James T. Kraft
ENS., USN

APPROVED:

EXAMINED:

R. L. Sage, Lt. Jg.

U. S. N. COMMANDING

R. W. Kesteloot, Lt.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADSWORTH DDG-24 ZONE DESCRIPTION TT DATE 16 SEPT 1964
AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	132	6	7	CLR	29.91	61	56						
02	150	4	7	CLR	29.90	60	56						
03	165	4	7	CLR	29.90	60	56						
04	150	2.5	8	CLR	29.86	60	55						
05	150	2.5	8	CLR	29.86	59	55						
06	160	2.5	8	CLR	29.84	57	55						
07	150	5	8	CLR	29.82	57	55						
08	150	5	8	CLR	29.82	60	55						
09	160	5	9	CLR	29.80	64	60						
10	145	10	9	CLR	29.80	69	62						
11	150	12	9	CLR	29.79	71	64						
12	150	16	9	CLR	29.60	64	64						
13	150	16	9	CLR	29.60	64	64						
14	150	16	9	CLR	29.50	62	62						
15	150	16	9	CLR	29.60	62	62						
16	150	16	9	OVC	29.60	61	62	10	1000	ST			
17	180	6	8	OVC	29.60	61	61	10	1000	ST			
18	150	5	7	OVC	29.62	59	58	10	1000	ST			
19	150	4	5	R	29.74	59	58	10	1000	ST			
20	120	2	6	R	29.74	61	58	10	1000	ST			
21	145	4	6	OVC	29.70	61	58	10	1000	ST			
22	155	2	6	OVC	29.70	61	58	10	1000	ST			
23	165	2	6	OVC	29.69	61	58	10	1000	ST			
24	145	2.5	5	OVC	29	60	57	10	1000	ST			

POSITION	ZONE	TIME
0800		
L	BY	
1200		
L	BY	
2000		
L	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GMT	Total Cloud Amt.	WIND		Visi-bil-ity	WEATHER		PRES-SURE Baro-meter Cor-rected	Air Temp.	CLOUDS					
		Occi-dent	Latitude	Longitude			Dirac-tion	Speed		Present	Past			Amount of Clouds (0-9)	Type C	Amount of Clouds (0-9)	Type C	Amount of Clouds (0-9)	Type C
		(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)			(0-9)	(0-9)	(0-9)	(0-9)	(0-9)	(0-9)
		(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)			(True) (00-36)	(True) (Knots)		(00-99)	(0-9)			(0-9)	(0-9)	(0-9)	(0-9)	(0-9)	(0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eighths)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

EXAMINED

RW Kesteloot LT

U. S. N. NAVIGATOR

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)WEDNESDAY 16 SEP, 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRY DOCK NUMBER TWO, PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER USS CHICAGO (CG-11). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

James J. Kuley
ENS., USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

James J. Kuley
ENS., USN

08-12 DOCKED AS BEFORE.

James J. Kuley
LTJG USN

12-16 DOCKED AS BEFORE.

D. B. Kaiser
LTJG USN

16-20 DOCKED AS BEFORE.

CM Batchelder
ENS USN

20-24 DOCKED AS BEFORE.

James J. Kuley
LTJG USN

APPROVED:

EXAMINED:

R. L. Page, LCDR

U. S. N. COMMANDING

W. Kesteloot LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION 11T DATE 17 SEPT 1964
AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	180	2	5	OVC	29.68	60	58	10	8000	ST			
02	150	2	5	OVC	29.69	61	57	10	8000	ST			
03	130	2.5	5	OVC	29.70	60	58	10	8000	ST			
04	125	5	5	R	29.70	59	57	10	8000	ST			
05	330	3	5	OVC	29.72	59	54	10	8000	ST			
06	060	3	5	OVC	29.72	58	56	10	8000	ST			
07	025	3	5	OVC	29.72	53	52	10	8000	ST			
08	090	3	5	OVC	29.72	54	52	10	8000	ST			
09	090	3	5	OVC	29.72	54	52	10	8000	ST			
10	090	3	5	OVC	29.72	59	52	10	8000	ST			
11	096	2	5	OVC	29.72	60	54	10	8000	ST			
12	130	7	9	BKN	29.91	61	60	7	8000	ST			
13	130	6	9	BKN	29.81	69	60	7	8000	ST			
14	090	2	10	BKN	29.92	70	60	5	8000	CU			
15	060	3	10	BKN	29.81	70	60	4	8000	CU			
16	330	3	10	BKN	29.92	70	60	7	8000	CU			
17	340	10	8	BKN	29.80	68	56	5	8000	CU			
18	320	3	8	BKN	30.00	63	56	5	8000	CU			
19	310	4	8	BKN	30.02	61	54	5	8000	CU			
20	000	8	8	BKN	30.07	60	51	7	8000	CU			
21	325	3	8	BKN	30.09	59	52	7	8000	CU			
22	180	1	8	BKN	30.09	58	51	7	8000	CU			
23	140	2	8	BKN	30.10	58	51	6	8000	CU			
24	140	2	8	BKN	30.10	54	54	6	8000	CU			

TABLE II

SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt.	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp.	CLOUDS				
		Occ- tant	Latitude	Longitude			Direction	Speed		Present	Past	Baro- meter Cor- rected		Amount of C _L Clouds (Coded)	Type C _L	HEIGHT C _L (Coded)	Type C _M	Type C _H
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)					
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

EXAMINED

W. R. Kester LT

U. S. N. NAVIGATOR

POSITION	ZONE	TIME
0800		
L	BY	
1200		
L	BY	
2000		
L	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDC-24)Thursday 17 September 64
(Day) (Date) (Month) 19

00-04 Resting on keel blocks in Drydock Number Two U.S. Naval Shipyard, Bremerton, Washington. Receiving all services from the dock. SOPA is Commanding Officer USS CHICAGO (CG-11). Ships present include various units of the U.S. Pacific Fleet, yard and district craft. Material condition YOKO (Modified) is set throughout the ship.

J. A. Sternath
LTJG USN

04-08 Docked as before. 0720 Mustered the crew at quarters. Absentees: McHALE, M.S., 694 79 7L, SA, USN, absent without authority from muster; NOURIE, M.J., 694 84 75, SA, USN, absent without authority from muster; SIEBERT, L.L., 693 59 34, SA, USN, absent without authority from muster; and SPRADLEY, S.J., 692 67 26, SN, USN, absent without authority from muster.

J. A. Sternath
LTJG USN

08-12 Docked as before. 0930 SIEBERT, L.L., 693 59 34, SA, USN, and SPRADLEY, S.J., 692 67 26, SN, USN, returned on board having been AWOL since 0720 this date. 1100 COMMANDING OFFICER USS KITTY HAWK ^(EVA-43) ASSUMED DUTIES OF SOPA

R. L. Agle
ENS USN

12-16 Docked as before.

J. A. Sternath
LTJG USN

16-18 Docked as before.

R. L. Agle
ENS USN

18-20 Docked as before. 1907 Held fire drill. 1918 Secured from fire drill.

J. A. Sternath
LTJG USN

20-24 Docked as before.

R. L. Agle
ENS USN

APPROVED:

R. L. Agle, LCDR

EXAMINED:

R. L. Agle

U. S. N. COMMANDING

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS.

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION +7T DATE 18 SEPT 1964
AT/PASSAGE FROM PS NS BREMERSON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	95	2	5	BKN	3020	55	60	6	2500	CU			
02	165	2.5	5	BKN	3015	52	49	6	2500	CU			
03	335	2.5	8	CLR	3015	53	49						
04	120	1	5	CLR	3020	52	48						
05	210	2	5	CLR	3019	53	46						
06	190	2	5	CLR	3018	55	47						
07	155	3	8	SET	3019	50	47	1	1800	CC			
08	110	2	5	SET	3020	56	48	3	2000	CC			
09	140	2	8	SET	3022	63	52	3	1000	CC			
10	095	2	8	SET	3020	64	56	3	1000	CU			
11	070	3	8	SET	3020	68	59	5	5000	CU			
12	081	3	8	SET	3030	68	60	5	5000	CU			
13	080	2	8	SET	3021	69	61	5	6000	CU			
14	080	3	10	BKN	3108	69	61	8	6000	CU			
15	080	2	10	BKN	3108	65	61	8	6000	CU			
16	075	2	10	BKN	3102	67	58	8	6000	CU			
17	075	2	10	BKN	3102	67	58	8	6000	CU			
18	030	2	10	BKN	3101	64	56	8	6000	CU			
19	120	2	10	BKN	3106	64	55	8	6000	CU			
20	085	2	5	OVC	3104	64	55	10	6000	CU			
21	130	2	5	OVC	3104	62	54	10	6000	CU			
22	140	3	5	OVC	3106	62	54	10	6000	CU			
23	095	2	5	OVC	3104	62	54	10	6000	CU			
24	155	3	5	OVC	3126	61	57	10	6000	CU			

POSITION	ZONE	TIME
0800		
L	BY	
1	BY	
1200		
L	BY	
1	BY	
2000		
L	BY	
1	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. 1	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. 1	

TABLE II
SYNOPTIC OBSERVATIONS


ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp. (°F)	CLOUDS					
		Oc- tant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direction (True) (00-36)	Speed (True) (Knots)		Present (00-99)	Past (0-9)			Amount of Clouds (Coded) C _L	Type C (0-9)	HEIGHT C _L (Coded)	Type C _M (0-9)	Type C _H (0-9)	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. 1	

Course of Ship (0-9)		Speed of Ship (0-9)		3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
				Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43		
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e		
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										
				8				0			I				I										

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED



U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)FRIDAY, 18 SEPT., 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO (2)
U.S. NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL
SERVICES FROM THE POCK. SOPA IS COMMANDING OFFICER
USS KITTY HAWK (CVA-63). SHIPS PRESENT INCLUDE VARIOUS
UNITS OF THE U.S. PACIFIC FLEET YARD AND DISTRICT
CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET
THROUGHOUT THE SHIP.

R. L. Agle
ENS USN

04-08 DOCKED AS BEFORE. 0603 CAPTAIN RETURNED FROM
FIFTEEN DAYS LEAVE. 0720 MUSTERED THE CREW AT
QUARTERS, ABSENTEES: McHALE, MICHAEL S., SA, 694-79-71
USN, AWOL SINCE 0720, 17 SEPT, 1964; NOURIE MARTIN, CAG.
J., SA, 694-84-75, USN, AWOL SINCE 0720, 17 SEPT
1964.

R. L. Agle
ENS USN

08-12 DOCKED AS BEFORE.

C. A. Gigg
ENS. USN

12-16 DOCKED AS BEFORE. COMMENCED COMMANDING OFFICER'S
MATERIAL ZONE INSPECTION. 1600 SECURED FROM INSPECTION.

J. L. Shannon
LTJG, USNR

16-20 DOCKED AS BEFORE.

M. L. Gigg
LTJG USN

20-24 DOCKED AS BEFORE.

C. A. Gigg
ENS. USN

APPROVED:

EXAMINED:

C. A. Gigg COR

U. S. N. COMMANDING

M. L. Gigg LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)SATURDAY 19 SEPT. 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO (2)
U.S. NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING
ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING
OFFICER USS KITTY HAWK (CVA-63). SHIPS PRESENT INCLUDE
VARIOUS UNITS OF THE U.S. PACIFIC FLEET YARD AND
DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED)
IS SET THROUGHOUT THE SHIP.

C. A. Guggs
ENS. USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW ON
STATION, ABSENTEES: MCHALE, MICHAEL S., SA, 694-79-71,
USN, AWOL SINCE 0720, 17 SEPT. 1964; AND MOURIE,
MARTIN J., SA, 694-84-75, USN, AWOL SINCE 0720,
17 SEPT. 1964.

C. A. Guggs
ENS. USN

08-12 DOCKED AS BEFORE.

James J. Kraft
ENS. USN

12-16 DOCKED AS BEFORE

B. J. Mallory
LTJG USNR

16-18 DOCKED AS BEFORE

T. E. Hopper
ENS, SC, USN

18-20 DOCKED AS BEFORE.

James J. Kraft
ENS. USN

20-24 DOCKED AS BEFORE.

James J. Kraft
ENS. USN

APPROVED:

EXAMINED:

C. Boyd COE

U. S. N. COMMANDING

W. Kestel LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG-24 ZONE DESCRIPTION +7T DATE 20 SEPT 1964
AT/PASSAGE FROM PSNS BERMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	092	2	7	SC	30.03	55	57	2	4000	CU			
02	092	2	8	SC	30.03	54	57	2	4000	CU			
03	150	2	8	SC	30.03	54	57	2	4000	CU			
04	150	2	8	SC	30.01	55	56	2	4000	CU			
05	150	3	8	SC	30.01	53	54	2	4000	CU			
06	320	3	8	SC	30.02	53	54	4	4000	CU			
07	145	3	8	SC	30.02	56	55	4	4000	CU			
08	140	3	8	SC	30.02	57	55	4	4000	CU			
09	135	2	10	SC	30.03	57	55	4	4000	CU			
10	080	3	10	SC	30.08	57	56	5	4000	CU			
11	140	2	9	SC	30.10	68	67	5	4000	CU			
12	120	2	9	SC	30.10	62	70	8	4000	CU			
13	060	2	9	BKN	30.14	64	58	8	4000	CU			
14	075	2	9	BKN	30.14	66	58	8	4000	CU			
15	035	2	9	BKN	30.14	64	58	8	4000	CU			
16	320	2	9	BKN	30.14	66	58	7	4000	CU			
17	002	2	9	BKN	30.18	64	56	7	4000	CU			
18	120	2	9	BKN	30.14	64	54	7	4000	CU			
19	310	3	9	BKN	30.14	62	54	9	4000	CU			
20	340	1	9	BKN	30.14	62	54	10	4000	CU			
21	115	2	9	BKN	30.22	58	54	9	4000	CU			
22	160	2	9	BKN	30.22	58	54	9	4000	CU			
23	175	1	9	BKN	30.22	58	54	9	4000	CU			
24	180	1	9	BKN	30.22	58	54	9	4000	CU			

POSITION	ZONE	TIME
0800		
L	BY	
L	BY	
1200		
L	BY	
L	BY	
2000		
L	BY	
L	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt.	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp.	CLOUDS					
		Oc- tant	Latitude	Longitude			Direc- tion	Speed		Present	Past			Baro- meter Cor- rected	Amount of Clouds (Coded)	Type C (0-9)	Height C Clouds (Coded)	Type C-M (0-9)	Type C-H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE							
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	of	of	Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43			
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	1	d _w d _w	P _w	H _w	1	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e			
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											
				8				0			1				1											

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

RM Kesteloot

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24) SUNDAY 20 SEP 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO (2)
PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON.
RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING
OFFICER USS KITTY HAWK (CVA-63). SHIPS PRESENT
INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND
DISTRICT CRAFT. MATERIAL CONDITION YUKA (MODIFIED) IS
SET THROUGHOUT THE SHIP.

James T. Kraft
ENS. USN

04-08 DOCKED AS BEFORE.

James T. Kraft
ENS. USN

08-12 DOCKED AS BEFORE. MUSTERED THE CREW ON STATIONS. ABSENTEES:
MCMALE, M.S., 6947971, SA, USN AND MOURIE, M. J., 6948475, SA, USN,
UA SINCE 0720 17 SEPT 1964.

B. J. Mallory
LTJG USNR

12-16
Docked As Before

D. E. Hopper
ENS, SC, USN

16-20 DOCKED AS BEFORE.

James T. Kraft
ENS. USN

20-24 DOCKED AS BEFORE.

James T. Kraft
ENS. USN

APPROVED:

EXAMINED:

C. J. Boyd COR

U. S. N. COMMANDING

W. Heston LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG 24 ZONE DESCRIPTION +YT DATE 21 SEP 1964
AT/PASSAGE FROM DD2 PSNS BREMERTON WASH TO WASH

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	148	2	9	0VC	30.22	56	54	9	2100	CU			
02	130	2	8	0VC	30.20	58	56	9	4000	CU			
03	150	2	8	0VC	30.20	58	56	8	4000	CU			
04	150	3	7	0VC	30.28	58	56	8	1800	US/AS			
05	150	2	8	0VC	30.25	58	56	10	1800	US/AS			
06	145	3	4	0VC	30.25	58	56	10	1400	US/AS			
07	145	5	4	0VC	30.26	58	57	10	6500	US/AS			
08	145	4	4	0VC	30.28	58	57	10	6500	CU			
09	150	4	5	0VC	30.26	58	57	10	6500	CU			
10	150	4	5	0VC	30.20	54	55	10	6500	CU			
11	145	5	4	0VC	30.26	54	55	10	6500	CU			
12	150	4	7	0VC	30.20	54	54	10	6500	CU			
13	130	10	7	0VC	30.25	59	54	10	6500	CU			
14	130	10	7	0VC	30.25	59	54	10	6500	CU			
15	130	9	8	0VC	30.25	59	56	10	6500	CU			
16	120	15	7	0VC	30.20	60	56	10	6500	CU			
17	145	15	7	0VC	30.20	60	56	10	6500	CU			
18	150	15	6	0VC	30.19	60	56	10	6500	CU			
19	125	18	5	0VC	30.19	58	54	10	6500	CU			
20	150	10	5	0VC	30.24	58	56	10	6500	CU			
21	120	2	6	0VC	30.22	58	56	10	4000	CU			
22	150	11	6	0VC	30.23	58	56	10	4000	CU			
23	150	10	6	0VC	30.23	57	55	10	4000	CU			
24	150	9	6	0VC	30.25	58	55	10	4000	CU			

POSITION	ZONE	TIME
0800		
L	BY	
1200		
L	BY	
2000		
L	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp. (°F)	CLOUDS					
		Oc- tant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (True) (00-36)	Speed (True) (Knots)		Present	Past			Amount of C _L Clouds (Coded)	Type C _L (0-9)	HEIGHT C _L Clouds (Coded)	Type C _M (0-9)	Type C _H (0-9)	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

EXAMINED

RW Kesteloot LT

U. S. N. NAVIGATOR

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24) Monday 21 SEP 19 64
(Day) (Date) (Month)

00-04 Resting on keel blocks in Drydock Number Two, Puget Sound Naval Shipyard, Bremerton, Washington. Receiving all services from the dock. SOPA is Commanding Officer, U.S.S. KITTY HAWK (CVA-63). Ships present include various units of the U.S. Pacific Fleet, yard and district craft. Material condition YOKI (Modified) is set throughout the ship.
E. Morris
ENS, USN

04-08 Docked as before. 0720 Mustered the crew at quarters. Absentees: MCCHALE, M.S., 694 79 71, SA, USN, AWOL since 0720, 17 Sep. 1964; NOURIE, M.J., 694 84 75, SA, USN, AWOL since 0720, 17 Sep. 1964; BALES, J.A., 473 73 19, RD2, USN, absent without authority from muster; BOEHM, J.G., 320 13 42, SM2, USN, absent without authority from muster. 0740 Stationed the Special Sea Detail.
E. Morris
ENS, USN

08-12 Docked as before. 0810 Secured the Special Sea Detail. 0815 BALES, J.A., 473 73 19, RD2, USN returned on board, having been AWOL since 0720 this date; BOEHM, J.G., 320 13 42, SM2, USN returned on board, having been AWOL since 0720 this date.
E. Morris
ENS, USN

12-16 Docked as before. 1334 Commanding Officer, U.S.S. CHICAGO (CG-11) assumed SOPA.
J. A. Herrault
LTJG USN

16-18 Docked as before.

R. L. Agh
ENS USN

18-20 Docked as before.

R. L. Agh
ENS USN

20-24 Docked as before.

E. Morris
ENS, USN

APPROVED:

EXAMINED:

C. J. Boyd COR

U. S. N. COMMANDING

M. Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG 24 ZONE DESCRIPTION TTT DATE 22 SEPT 19 64
AT/PASSAGE FROM 002 PSNS BREMERTON TO WASH

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	140	11	10	OVC	30.26	58	54	10	4000	CU			
02	160	7	10	OVC	30.26	58	54	10	3000	AS			
03	150	2	10	OVC	30.26	59	54	10	3000	AS			
04	130	2	10	OVC	30.28	60	56	10	3000	AS			
05	130	2	7	OVC	30.28	60	56	10	3000	AS			
06	135	2	7	OVC	30.28	62	56	10	3000	SC			
07	245	2	7	OVC	30.32	58	58	10	3000	SC			
08	220	2	7	OVC	30.32	62	58	10	3000	SC			
09	310	1	7	OVC	30.32	62	60	10	3000	SC			
10	090	2	7	OVC	30.34	60	60	10	3000	SC			
11	110	2	9	BKN	30.34	66	60	10	3000	CU			
12	090	2	8	BKN	30.36	66	62	8	3000	AC			
13	080	1	9	BKN	30.36	68	64	9	3000	SC			
14	055	1	9	BKN	30.36	68	64	8	2500	SC			
15	055	1	9	BKN	30.36	68	62	7	2500	SC			
16	025	2	6	BKN	30.40	68	62	9	2500	SC			
17	085	2	6	BKN	30.38	66	62	9	2200	SC			
18	030	2	6	BKN	30.42	66	62	9	2200	SC			
19	315	3	7	BKN	30.38	64	60	9	2200	SC			
20	320	3	7	BKN	30.38	64	60	9	2200	CU			
21	300	1	7	BKN	30.38	64	58	9	2200	CU			
22	300	2	7	BKN	30.38	62	58	9	2200	CU			
23	300	2	7	BKN	30.38	60	56	9	2200	CU			
24	300	2	7	BKN	30.40	60	54	9	2200	CU			

POSITION	ZONE	TIME
0800		
L	BY	
A	BY	
1200		
L	BY	
A	BY	
2000		
L	BY	
A	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp. (°F)	CLOUDS							
		Oc- tant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direction (True) (00-36)	Speed (True) (Knots)		Present (00-99)	Past (0-9)			Amount of Clouds (Coded)	Type C (0-9)	L (0-9)	HEIGHT Clouds (Feet)	Type C (0-9)	M (0-9)	Type C (0-9)	H (0-9)
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19			
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	#	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H			

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	I _s I _s	I _d I _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

EXAMINED

W. Kesteloot LT

U. S. N. NAVIGATOR

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP

WADDELL (DDG-24)

TUESDAY 22 SEPT 64

(Day) (Date) (Month) 19

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO, PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER, U.S.S. CHICAGO (CG-11). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

En Moore
ENS, USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NOURIE, M.J. 694-84-75, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964; McHALE, M.S. 694-79-71, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964; AND ENGLAND, D.F. 391-22-85, FN, USN, ABSENT WITHOUT AUTHORITY FROM MUSTER. 0735 STATIONED THE SPECIAL SEA DETAIL. 0752 SECURED THE SPECIAL SEA DETAIL.

LT Frank
LTJG, USN

08-12 DOCKED AS BEFORE. 1150 ENGLAND, D.F. 391-22-85, FN, USN, RETURNED TO THE SHIP HAVING BEEN UA SINCE 0720 THIS DATE.

LT Frank
LTJG, USN

12-16 DOCKED AS BEFORE.

LT Frank
LTJG, USN

16-20 DOCKED AS BEFORE.

LT Frank
LTJG, USN

20-24 DOCKED AS BEFORE.

LT Frank
LTJG, USN

APPROVED:

EXAMINED:

cy Byrd CDR

U. S. N. COMMANDING

W. Keelboat LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG 24 ZONE DESCRIPTION 47T DATE 23 SEPT 19 61
AT/PASSAGE FROM DD 2 PSNS BREMERTON TO WASH

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	300	2	8	CLR	30.40	57.50							
02	300	2	8	CLR	30.42	57.52							
03	300	4	8	ovc	30.40	57.52		10	6500	AS			
04	300	2	1	F	30.40	57.54							
05	300	2	1	F	30.40	57.54							
06	300	2	1	F	30.40	58.54							
07	300	2	1	F	30.40	58.54							
08	310	2	1	ovc	30.40	60.54							
09	320	3	1	ovc	30.40	62.55							
10	300	5	1	ovc	30.42	66.59		10	1500	GO			
11	230	2	3	ovc	30.39	62.61		10	1500	GO			
12	075	2	4	RKN	30.38	62.67		8	1500				
13	090	2	4	RKN	30.38	62.63		8	1500	CU			
14	070	2	4	SCT	30.36	62.61		2	1500	CU			
15	080	2	4	SCT	30.34	64.60		1	1500	CU			
16	330	5	4	SCT	30.32	62.62		1	1500	CU			
17	330	3	4	SCT	30.32	64.62		1	1500	CU			
18	330	3	4	SCT	30.32	62.62		1	1500	CU			
19	060	2	4	SCT	30.32	64.62		1	1500	CU			
20	000	2	6	CLR	30.31	64.60		1	1500	CU			
21	000	3	6	CLR	30.31	64.60		1	1500	CU			
22	020	2	8	CLR	30.39	60.58		1	1500	CU			
23	370	2	8	CLR	30.31	60.55		1	1500	CU			
24	315	2	8	CLR	30.30	59.56		1	1500	CU			

POSITION	ZONE	TIME
0800		
L	BY	
1200		
L	BY	
2000		
L	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	


TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp. (°F)	CLOUDS				
		Oc- tant	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (True) (00-36)	Speed (True) (Knots)		Present	Past			Amount of Clouds (Coded)	Type C (0-9)	Type L (0-9)	Type M (0-9)	Type H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	#	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. A	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orienta- tion
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

EXAMINED



U. S. N. NAVIGATOR

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)

Wednesday 23 Sept 64
(Day) (Date) (Month) 19 64

00-04. RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO (2), PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON, RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER U.S.S. CHICAGO (CG-11) SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

C. A. Gigg
ENS. USN

04-08. DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NOURIE, M.J., 694-84-75, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964; McHALE, M.S., 694-79-71, SA, USN, AWOL SINCE 0720 17 SEPTEMBER 1964. 0735 STATIONED THE SPECIAL SEA AND ANCHOR DETAIL.

C. A. Gigg
ENS. USN

08-12. DOCKED AS BEFORE. 0830 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

V. E. Hopper
ENS, SC, USN

12-16. DOCKED AS BEFORE

M. J. McHALE
LTJG USN

16-18 DOCKED AS BEFORE. 1850 USNAVRESTRACEN, JOPLIN, MO., MSG. 22210Z REPORTS THAT McHALE, M.S., 694-79-71, SA, USN, AND NOURIE, M.J., 694-84-75, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964, RETURNED TO NAVAL CUSTODY TO BE TRANSFERRED TO THIS COMMAND UNDER DISCIPLINARY STATUS.

B. J. Maltby
LTJG USNR

18-20 DOCKED AS BEFORE.

James T. Frost
ENS. USN

20-24 DOCKED AS BEFORE.

James T. Frost
ENS. USN

APPROVED:

EXAMINED:

C. Boyd COR

U. S. N. COMMANDING

M. Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL 00624 ZONE DESCRIPTION TTT DATE 24 SEPT 19 64
AT/PASSAGE FROM DD2 PSNS BREMERTON TO WASH

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	300	8	8	CLR	30.30	58	55	1	1500	CU			
02	300	4	8	CLR	30.29	56	54	1	1500	CU			
03	300	8	12	CLR	30.29	57	54						
04	320	2	8	CLR	30.24	55	54						
05	320	2	8	CLR	30.24	55	54						
06	300	1	8	CLR	30.20	56	50						
07	310	2	7	BKN	30.23	56	52	8	1500	CU			
08	320	2	6	BKN	30.23	59	54	8	1500	CU			
09	020	1	4	BKN	30.23	68	56	8	1500	CU			
10	330	1	6	BKN	30.12	68	60	6	1500	CU			
11	080	2	9	CLR	30.12	72	62	6	1500	CU			
12	090	2	10	CLR	30.08	72	62						
13	090	2	10	CLR	30.06	72	72						
14	090	3	12	CLR	30.02	70	62						
15	090	3	12	CLR	30.04	70	62						
16	090	3	12	CLR	30.04	70	62						
17	085	2	12	CLR	30.02	70	62						
18	025	1	9	OVC	30.02	70	62						
19	165	1	8	OVC	29.99	67	64						
20	100	1	8	BKN	29.88	66	62	8	1500	CU			
21	070	1	8	BKN	29.86	62	60	8	1500	CU			
22	060	2	8	BKN	29.84	63	60	1	1500	CU			
23	010	2	8	BKN	29.80	63	58	8	1500	CU			
24	090	3	12	BKN	29.86	62	57	9	1500	CU			

POSITION	ZONE	TIME
0800		
L	BY	
L	BY	
1200		
L	BY	
L	BY	
2000		
L	BY	
L	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp. (°F)	CLOUDS				
		Oc- tant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (True) (00-36)	Speed (True) (Knots)		Present	Past			Amount of C _L Clouds (Coded)	Type C _L (0-9)	C _L Height Clouds (Coded)	Type C _M (0-9)	Type C _H (0-9)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

EXAMINED

U. S. N. NAVIGATOR

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP

WADDELL DDC-24

Thursday 24 Sept 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO, PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER, U.S.S. CHICAGO (CA-11). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE MODIFIED IS SET THROUGHOUT THE SHIP

B. J. Mallory
LTJG USNR

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS. ABSENTEES: MCHALE, M. S., 694 79 71, SA, USN AND NOURIE, M. J., 694 84 75, SA, USN, UA SINCE 0720 17 SEPT 1964. 0730 EXERCISED CREW AT GENERAL QUARTERS.

B. J. Mallory
LTJG USNR

08-12 DOCKED AS BEFORE. 0820 SECURED FROM GENERAL QUARTERS. DRILL

Ens C. M. Patchell
USN

12-16 DRY DOCKED AS BEFORE

J. J. Kulesh
LTJG USN

16-20 DOCKED AS BEFORE. 1847 HELD FIRE DRILL. 1903 SECURED FROM FIRE DRILL.

C. M. Patchell
Ens USN

20-24 DRY DOCKED AS BEFORE.

J. J. Kulesh
LTJG USN

APPROVED:

EXAMINED:

C. J. Boyd COR

U. S. N. COMMANDING

M. W. Kesteloot Jr.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG 84 ZONE DESCRIPTION F71 DATE 25 SEPT 19 64
AT/PASSAGE FROM DD 2 PSNS BREMERTON TO WASH

TABLE I

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BARO- METER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	205	3	8	CLR	30.06	56	54	3	1800	C U			
02	340	3	8	CLR	30.06	52	54	3	1800	C U			
03	340	3	9	CLR	30.06	52	50	3	1800	C U			
04	350	2	8	CLR	30.08	52	50	3	1800	C U			
05	355	2	8	CLR	30.04	52	50	3	1800	C U			
06	001	1	8	CLR	30.04	58	52	3	1800	C U			
07	020	1	10	CLR	30.02	60	64	6	2000	AS NS			
08	010	2	8	CLR	30.02	68	62	6	2000	C U			
09	140	2	8	CLR	30.02	70	62	5	2000	C U			
10	175	2	8	CLR	30.02	78	60	5	2000	C U			
11	150	2	8	CLR	30.00	72	60	5	2000	C U			
12	335	3	9	CLR	30.00	76	72	5	2000	C U			
13	030	5	9	CLR	30.00	72	62	5	2000	C U			
14	340	10	9	CLR	30.00	68	62	5	2000	C U			
15	005	8	9	CLR	30.00	68	60	5	2000	C U			
16	045	11	9	CLR	30.00	62	60	5	2000	C U			
17	030	10	9	CLR	30.00	60	58	5	2000	C U			
18	280	5	9	CLR	29.90	58	58	5	2000	C U			
19	140	2	9	CLR	29.90	58	56	5	2000	C U			
20	180	2	9	CLR	29.90	56	56	5	2000	C U			
21	030	2	9	CLR	29.90	56	56	5	2000	C U			
22	180	2	9	CLR	29.90	54	52	5	2000	C U			
23	200	2	9	CLR	29.92	54	50	5	2000	C U			
24	190	2	9	CLR	29.92	54	50	5	2000	C U			

POSITION	ZONE	TIME
0800		
L	BY	
L	BY	
1200		
L	BY	
L	BY	
2000		
L	BY	
L	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt.	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp.	CLOUDS				
		Oc- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Cor- rected	Amount of C _L Clouds	Type C _L	Height C _L Clouds	Type C _M
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	(0-9)	(0-9)	(0-9)	(0-9)	
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	#	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

W. R. Rostelbo U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP

WADDELL DDG-24

FRIDAY 25 SEPT. 1964

(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO, PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER USS CHICAGO (CG-11). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

Ed Morris
ENS, USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS. ABSENTEES: McMALE, M.S., 694-79-71, SA, USN AWOL SINCE 0720, 17 SEPTEMBER 1964; NOURIE, M.J., 694-84-75, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964; AND SISTO, F.A., 903-86-89, FTG-3, USN. ABSENT WITHOUT AUTHORITY FROM MUSTER.

Ed Morris
ENS, USN

08-12 DOCKED AS BEFORE. 1037 SISTO, FA, 903-86-89, FTG-3, USN, RETURNED ON BOARD HAVING BEEN AWOL SINCE 0720 THIS DATE.

Ed Morris
ENS, USN

12-16 DOCKED AS BEFORE. 1515 MUSTERED THE CREW AT QUARTERS FOR CAPTAIN'S PERSONNEL INSPECTION. ~~ABSENTEES: NO~~

Ed Morris
ENS, USN

16-18 DOCKED AS BEFORE.

Ed Morris
ENS, USN

18-20 DOCKED AS BEFORE.

Ed Morris
ENS, USN

20-24 DOCKED AS BEFORE.

Ed Morris
ENS, USN

APPROVED:

EXAMINED:

Cy Boyd CDR

U. S. N. COMMANDING

W. R. Kesteloot LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG 24)SATURDAY 26 SEPTEMBER 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO, PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER, USS CHICAGO (CG 11), SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

J.A. Herriott
LTJG USN

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW ON STATION, ABSENTEES: BOEHM, JAMES G., 320 13 42, SM2, USN; AWOL SINCE 0720, 25 SEPTEMBER 1964; MCHALE, MICHAEL S., 694 79 71, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964; NOURIE, MARTIN J., 694 84 75, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964.

J.A. Herriott
LTJG USN

08-12 DOCKED AS BEFORE. 0900 COMMANDING OFFICER USS KITTY HAWK (CVA 63) ASSUMED THE DUTIES AS SOPA.

D. Franke
LTJG USN

12-16 DOCKED AS BEFORE.

D.M. Batchelder
ENS 1084

16-20 DOCKED AS BEFORE.

D.A. Shannon
LTJG, USNR

20-24 DOCKED AS BEFORE.

D.A. Shannon
LTJG, USNR

APPROVED:

EXAMINED:

Cy Byrd CDR

U. S. N. COMMANDING

W. Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG 24 ZONE DESCRIPTION TTT DATE 27 SEPT 19 67
AT/PASSAGE FROM DD2 BREMERTON PENS TO WASH

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	030	1	12	CLR	29.78	50	56		12				
02	380	2	8	BKN	29.80	59	57	6	1200	CU			
03	100	2	8	BKN	29.80	57	54	6	1200	CU			
04	090	5	5	PRC	29.82	56	54	6	1200	CU			
05	060	3	5	PRC	29.84	56	54	6	1200	CU			
06	060	4	5	PRC	29.86	56	54	6	1200	CU			
07	110	3	10	BKN	29.88	56	52	6	1200	CU			
08	330	2	10	BKN	29.90	58	52	6	1300	CU			
09	330	2	10	BKN	29.90	58	54	6	1300	CU			
10	060	1	12	BKN	29.90	62	56	6	1300	CU			
11	000	2	12	BKN	29.92	62	56	6	1300	CU			
12	160	3	12	BKN	29.94	62	56	6	1300	CU			
13	000	2	12	BKN	30.00	64	56	6	1300	CU			
14	130	2	12	BKN	30.00	64	56	6	1300	CU			
15	130	2	12	BKN	30.00	64	56	7	1300	CU			
16	130	2	12	BKN	30.00	64	55	7	1300	CU			
17	115	3	12	BKN	30.02	64	52	7	1300	CU			
18	030	2	10	BKN	30.02	62	52	6	1300	CU			
19	035	1	7	BKN	30.02	60	50	7	1300	CU			
20	105	1	3	BKN	30.04	58	52	5	1300	CU			
21	200	1	3	BKN	30.06	57	50	5	1300	CU			
22	020	1	3	BKN	30.06	57	50	5	1300	CU			
23	030	3	10	BKN	30.08	58	56	5	1300	CU			
24	035	4	10	BKN	30.08	58	56	5	1300	CU			

POSITION	ZONE	TIME
0800		
L	BY	
1200		
L	BY	
2000		
L	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week	POSITION OF SHIP			TIME	Total Cloud Amt.	WIND		Visi- bili- ty	WEATHER		PRES- SURE	Air Temp.	CLOUDS				
		Occ- tant	Latitude	Longitude			Direction	Speed		Present	Past			Baro- meter Corrected	Amount of Clouds C _L (Coded)	Type C _L (0-9)	HEIGHT C _L (Coded)	Type C _M (0-9)
	(1-7) (GMT)	(0-3, 5-8)	(Degrees and tenths)	(Degrees and tenths)	GMT	(Coded)	(True) (00-36)	(True) (Knots)	(90-99)	(00-99)	(0-9)	(mb)	(°F)	N _h	C _L	h	C _M	C _H
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. L	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air °F	Dew Point °F	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direc- tion (00-36)	Period	Height	Indicator	Direc- tion (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

EXAMINED

RM Kesteloot LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG 24)SUNDAY, 27 SEPTEMBER, 1964
(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER TWO, PUGET SOUND NAVAL SHIPYARD, BREMERTON, WASHINGTON, RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS COMMANDING OFFICER USS KITTY HAWK (CVA 63). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. MATERIAL CONDITION YOKE (MODIFIED) IS SET THROUGHOUT THE SHIP.

D.A. Shannon
LTJG, USNR

04-08 DOCKED AS BEFORE.

D.A. Shannon
LTJG, USNR

08-12 DOCKED AS BEFORE. 0800 MUSTERED THE CREW ON STATION. ABSENTEES: BOEHM, JAMES G., 320 13 42, SMZ, USN, AWOL SINCE 0720 25 SEPTEMBER 1964; McHALL, MICHAEL S., 694 79 91, SA, USN, AWOL SINCE 0720, 17 SEPTEMBER 1964; NOURIE, MARTIN J., 694 84 75, SA, USN, AWOL SINCE 17 SEPTEMBER 1964.

D.A. Shannon
LTJG, USNR

12-16 DOCKED AS BEFORE.

CM Batchelder
Ensign USN

16-20 DOCKED AS BEFORE. 1635 NOURIE, M.J. 694-84-75 SA, USN, RETURNED ABOARD HAVING BEEN AWOL SINCE 0720 17 SEPT 1964 A PERIOD OF TEN DAYS AND NINE HOURS AND FIFTEEN MINUTES. McHALL, M.S. 694-79-71 SA, USN, RETURNED ABOARD HAVING BEEN AWOL SINCE 0720 17 SEPT 1964, A PERIOD OF TEN DAYS NINE HOURS AND FIFTEEN MINUTES.

CM Batchelder
Ensign USN

20-24 DOCKED AS BEFORE.

CM Batchelder
Ensign USN

APPROVED:

EXAMINED:

C. Boyd COR

U. S. N. COMMANDING

W. Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

APPROVED:

EXAMINED:

U. S. N. COMMANDING.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY
NAVPERS-717 (REV. 10-56)

DECK LOG-WEATHER OBSERVATION SHEET

USS WADDELL DDG 24 ZONE DESCRIPTION +7T DATE 28 SEPT 1964
AT/PASSAGE FROM PSNS BREMERTON TO WASHINGTON

TABLE I

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BARO-METER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	FORCE (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	175	1	9	CH	29.91	55	54						
02	280	1	9	CH	29.91	55	54						
03	210	1	9	CH	29.91	54	52						
04	210	2	9	CH	29.91	52	50						
05	185	2	9	CH	29.91	51	50						
06	195	5	9	CH	29.61	51	49						
07	180	5	9	CH	29.61	50	48						
08	180	5	1	F	29.99	46	45						
09	180	7	6	OV	29.90	50	48	10	2500	SC/AS			
10	180	7	7	OV	29.99	50	49	10	2500	SC/AS			
11	025	8	7	OV	29.94	50	49	10	2500	SC/AS			
12	030	5	8	OV	29.92	50	50	10	2500	SC/AS			
13	030	5	6	OV	29.90	52	50	10	2500	SC/AS			
14	000	8	6	OV	29.92	52	52	10	2500	SC/AS			
15	040	6	6	OV	29.98	56	52	10	2500	SC/AS			
16	000	2	6	OV	29.92	57	52	10	2500	SC/AS			
17	270	2	3	OV	29.86	57	52	10	2500	SC/AS			
18	270	2	6	OV	29.86	57	52	10	2500	SC/AS			
19	275	2	4	OV	29.84	57	52	10	2500	SC/AS			
20	300	2	4	OV	29.86	58	52	10	2500	SC/AS			
21	015	2	4	OV	29.86	58	54	10	2500	SC/AS			
22	330	2	3	OV	29.86	57	54	10	2500	SC/AS			
23	340	2	3	OV	29.84	57	54	10	2500	SC/AS			
24	010	6	3	OV	29.84	57	54	10	2500	SC/AS			

POSITION	ZONE	TIME
0800		
L	BY	
1	BY	
1200		
L	BY	
1	BY	
2000		
L	BY	
1	BY	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. 1	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. 1	


TABLE II
SYNOPTIC OBSERVATIONS

ZONE TIME OF SYNOPTIC OBSERVATION	Day of week (1-7) (GMT)	POSITION OF SHIP			TIME GMT	Total Cloud Amt. (Coded)	WIND		Visi- bili- ty (90-99)	WEATHER		PRES- SURE Baro- meter Cor- rected (mb)	Air Temp. (°F)	CLOUDS					
		Oc- tant (0-3, 5-8)	Latitude (Degrees and tenths)	Longitude (Degrees and tenths)			Direc- tion (True) (00-36)	Speed (True) (Knots)		Present (00-99)	Past (0-9)			Amount of C _L Clouds (Coded)	Type C (0-9)	L (0-9)	HEIGHT C _L Clouds (Coded)	Type C _M (0-9)	Type C _H (0-9)
I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	
	Y	Q	L _a L _a L _a	L _o L _o L _o	GG	N	dd	ff	VV	ww	W	PPP	TT	N _h	C _L	h	C _M	C _H	

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. 1	

Course of Ship (0-9)	Speed of Ship (0-9)	3-HOUR PRESS. TEND.		SIGNIFICANT CLOUD				Indicator	Diff. Sea Air	Dew Point	WAVES				WAVES				ICE				
		Characteristic (0-9)	Amount Change (mb and tenths)	Indicator	Amount (Eights)	Type	Height				Indicator	Direction (00-36)	Period	Height	Indicator	Direction (00-36)	Period	HEIGHT	Kind	Effect	Bearing	Distance	Orientation
20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
D _s	v _s	a	pp	8	N _s	C	h _s h _s	0	T _s T _s	T _d T _d	I	d _w d _w	P _w	H _w	I	d _w d _w	P _w	H _w	c ₂	K	D _i	r	e
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								
				8				0			I				I								

EXAMINED



U. S. N. NAVIGATOR

MILES STEAMED
0000-2400FUEL CONSUMED
0000-2400

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP

WADDELL (DDG-24)

MONDAY 28 SEPT 1964

(Day) (Date) (Month)

00-04 RESTING ON KEEL BLOCKS IN DRYDOCK NUMBER 2, PUGET SOUND NAVAL SHIPYARD BREMERTON, WASHINGTON. RECEIVING ALL SERVICES FROM THE DOCK. SOPA IS CO USS KITTY HAWK (CVA 63) SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET YARD AND DISTRICT CRAFT.

D. B. Kaiser
LTJG USNR

04-08 DOCKED AS BEFORE. 0720 MUSTERED THE CREW AT QUARTERS; ABSENTEES: SISTO, F.A. JR. 903 8689, FTG3, USN, AWOL SINCE 0720 28 SEPT 1964. BOEHM, J.G. JR. 320 1342 SM2, USN, AWOL SINCE 0720 25 SEPT 1964. YOUNG, H.L. 582 7792 BT2, USN, AWOL SINCE 0720 28 SEPT 1964. 0730 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0745 FLOODING COMMENCED IN DRY DOCK. INSPECTION COMPLETED OF ALL HULL OPENINGS.

D. B. Kaiser
LTJG USNR

08-12 DOCKED AS BEFORE. 0800 SOPA SHIFTS, COMMANDING OFFICER USS SACRAMENTO (AOE-1) ASSUMES SOPA. 0815 SISTO, F.A. JR., 903 8689, FTG3, USN, AWOL SINCE 0720 28 SEPT 1964 RETURNED TO THE SHIP HAVING BEEN ABSENT FOR A PERIOD OF 55 MINUTES. BOEHM, J.G. JR. 320 1342 SM2, AWOL SINCE 0720 25 SEPT 1964 RETURNED TO THE SHIP HAVING BEEN ABSENT FOR A PERIOD OF 72 HOURS 55 MINUTES. 0924 ALL SERVICES DISCONNECTED FROM SHIP. 0926 SHIP CLEAR OF KEEL BLOCKS. INSPECTION COMPLETED OF ALL SPACES FOR WATER TIGHT INTEGRITY. 1105 PILOT MR OWENS CAME ON BOARD. 1020 COMMENCED MOVING SHIP CLEAR OF DOCK. 1022 STERN PASSED OVER SILL. 1024 YTB 512 ALONGSIDE STBD QUARTER. YTL 433 ALONGSIDE PORT BOW. 1025 YTB 507 ALONGSIDE PORT QUARTER. 1034 BOW PASSED OVER SILL. DRAFT FORWARD 12' AFT 14' 1" UNDERWAY MANEUVERING TO SHIFT BERTHS TO 3D PIER 3 PUGET SOUND NAVAL SHIPYARD BREMERTON, WASH. 1054 YTB 512 YTB 507 YTL 433 CAST LOOSE FROM SHIP. 1104 MOORED STBD SIDE TO BERTH 3D PUGET SOUND NAVAL SHIPYARD BREMERTON, WASHINGTON WITH STANDARD MOORING LINES, SOPA IS COMMANDING OFFICER USS SACRAMENTO (AOE-1) SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET YARD AND DISTRICT CRAFT. 1137 PILOT LEFT THE SHIP.

D. B. Kaiser
LTJG USNR

APPROVED:

EXAMINED:

C. J. S. Cox

U. S. N. COMMANDING

W. Kesteloot

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

12-16 MOORED AS BEFORE, 1256 LIGHTED FIRES UNDER
#1A BOILER 1530 LIGHTED ^{OFF} FIRES UNDER #1B. GENERATOR. 1251

D. S. Kaiser
LTJG USNR

16-20 MOORED AS BEFORE

D. S. Kaiser
LTJG USNR.

20-24 MOORED AS BEFORE

D. S. Kaiser
LTJG USNR

APPROVED:

EXAMINED:

C. J. Boyd CDR

U. S. N. COMMANDING.

M. W. Kesteloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

LT U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)Tuesday 29 September 1964
(Day) (Date) (Month)

00-04 Moored starboard side to pier 3, berth 3D, Puget Sound Naval Shipyard, Bremerton, Washington, with standard mooring lines doubled. Receiving miscellaneous services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is Commanding Officer, USS SACRAMENTO (AOE-1)

J. K. L. LTJG USN

04-08 Moored as before. 0720 Mustered the crew at quarters. Absentees: BELLER, R.T. 770 89 95, FA, USN, absent without authority from muster; YOUNG, H. L. 582 77 92, BT2, USN, AWOL since 0720 28 September 1964. 0740 BELLER, R.T., 770 89 95, FA, USN returned on board having been AWOL since 0720 this date. 0755 YON (102) moored alongside to port.

J. K. L. LTJG USN

08-12 Moored as before. 0920 Commenced fueling from YON (102) draft forward 13 feet 3 inches, aft 14 feet. 1000 The Commanding Officer held mast and imposed non-judicial punishment as follows:

BOEHM, J.G., 320 1342, SM2 USN, OFFENSE: AWOL from 26 September 1964 to 28 September 1964, a period of three (3) days and fifty-five (55) minutes.

PUNISHMENT: Reduction to next inferior pay grade (SM3). Punishment suspended for six (6) months.

NOURIE, M.J., 694 84 75, SA, USN, OFFENSE: AWOL from 17 September 1964 to 27 September 1964, a period of ten (10) days, nine (9) hours and fifteen (15) minutes and appearing in an improper uniform.

PUNISHMENT: Restricted to the limits of the USS WADDELL (DDG-24) for a period of forty-five (45) days. Extra duties for forty-five (45) days.

MCHALE, M.S., 694 79 71, SA, USN, OFFENSE: AWOL from 17 September 1964 to 27 September 1964, a period of ten (10) days, nine (9) hours, and fifteen (15) minutes and appearing in an improper uniform.

PUNISHMENT: Restricted to the limits of the USS WADDELL (DDG-24) for a period of forty-five (45) days. Extra duties for forty-five (45) days.

DIGGLES, J.E. 687 83 36, SA, USN OFFENSE: Altered Armed Forces Identification Card. PUNISHMENT: Restricted to the limits of the USS WADDELL (DDG-24) for twenty-one (21) days.

TOMS, D.L., 588 23 21, SN, USN. OFFENSE: Misbehavior of sentinel. PUNISHMENT: Restricted to the limits of the

APPROVED:

EXAMINED:

C. J. Boyd COR

U. S. N. COMMANDING

J. K. L. LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

USS WADDELL (DDG-24) for a period of fourteen (14) ~~DAYS~~ days. Extra duties for fourteen (14) days. ^{720P} ENGLAND, D.F., 391 22 85, FN, USN, OFFENSE: Absent ^{from} appointed place of duty from 0700 until 1150 ^{on} 22 September 1964. A period of four (4) hours and thirty (30) minutes. PUNISHMENT: Reduction to next inferior pay grade (FA). ^{just} TRUMBORE, G.G., 538 1997, SN, USN, OFFENSE: Indecent exposure in public. PUNISHMENT: Reduction to next inferior pay grade (SA) Punishment suspended for six (6) months. ^{over}

1130 Daily inspection of magazines, conditions normal. 1130 Fueling completed, draft forward 14 feet, aft 15 feet. 1145 YON (102) got secured fueling.

J. H. Posthume
ENS SC USNR

J. H. Posthume
ENS SC USNR

12-16 Moored as before. 1204 YON (102) got underway from alongside this vessel. 1245 Exercised at General Drills. 1250 Transferred WILSON, J.B., 772 07 04, FA, USN, to U.S. Naval Hospital, Bremerton, Washington, for treatment. 1415 Secured from General Drills.

J. A. Herriott
LTJG USN

16-18 Moored as before. 1620 Set material condition YOKE (modified). 1735 Pursuant to orders of the Commanding Officer, SPIZIRI, J.B., 534 15 23, SOG 2, USN, left the ship to report to Senior Shore Patrol Officer, PSNS Shore Patrol Headquarters, Bremerton, Washington, for Temporary Additional Duty.

J. A. Herriott
LTJG USN

18-20 Moored as before.

C. Morris
ENS, USN

20-24 Moored as before. 2310 SPIZIRI, J.B., 534 15 23, SOG 2, USN returned to the ship, having completed TAD with Shore Patrol.

C. Morris
ENS, USN

APPROVED:

EXAMINED:

C. Boyd COR

U. S. N. COMMANDING.

W. H. Kestel LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NavPers 718 (New 1-55)

DECK LOG - ROUGH REMARKS SHEET

UNITED STATES SHIP WADDELL (DDG-24)

WED 30 SEPT 64
(Day) (Date) (Month) 1964

00-04 MOORED STARBOARD SIDE TO PIER 3, BERTH 30, PUGET SOUND NAVAL SHIPYARD, BREMERTON WASHINGTON WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMMANDING OFFICER USS SACRAMENTO (OE-1) MATERIAL CONDITION "YOKE" (MODIFIED) IS SET

E. Morris
ENS/USN

04-08 MOORED AS BEFORE. 0720 MUSTERED THE CREW ON STATIONS. ARSENTEES: COSTA, J.R., 693 26 84, SA, USN ABSENT WITHOUT AUTHORITY FROM MUSTER; ADAMS, L.S., 528 02 11, SN, USN ABSENT WITHOUT AUTHORITY FROM MUSTER. YOUNG, H.L., 582 17 52, RT2, USN ABSENT WITHOUT AUTHORITY FROM MUSTER. 0755 ADAMS, L.S., 528 02 11 SN, USN RETURNED ON BOARD HAVING BEEN AWOL SINCE 0720 THIS DATE

E. Morris
ENS, USN

08-12 MOORED AS BEFORE 0825 COSTA, JR, 693 26 84 SA USN RETURNED ABOARD HAVING BEEN AWOL SINCE 0720 THIS DATE 0940 TOM. DL, 588 23 21 SA USN INJURED IN THE LINE OF DUTY WHEN MT. 51 WAS LOWERED, STRIKING HIM ON THE HEAD CAUSING MILD BRAIN CONCUSSION AND ABRASIONS; NOT DUE TO HIS OWN MISCONDUCT. DISPOSITION PLACED ON SICK LIST FOR OBSERVATION. 1000 STATIONED THE SPECIAL SEA AND ANCHOR DETAIL FOR ENGINEERING DOCK TRIALS 1110 SECURED SPECIAL SEA AND ANCHOR DETAIL

DA Shannon
LTJG, USNR

12-16 MOORED AS BEFORE

DA Shannon
LTJG, USNR

APPROVED:

EXAMINED:

C. Boyd CDR

U. S. N. COMMANDING

M. Westcott LT.

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

ROUGH REMARKS - CONTINUED

16-20 MOORED AS BEFORE 1847 SEALS, IE, JR. 331
68 36, SK3 USN LEFT THE SHIP TO REPORT TO
SENIOR SHORE PATROL OFFICER, BREMERTON WASHINGTON
FOR TAD. GERH, GJ, 965 56 55 RMI USN RETURNED
TO THE SHIP HAVING COMPLETED TAD. TO THE
SENIOR SHORE PATROL OFFICER, BREMERTON, WASHINGTON

DA Shannon
LTJG, USNR

20-24 MOORED AS BEFORE

DA Shannon
LTJG, USNR

APPROVED:

EXAMINED:

Cy Boyd CDR

U. S. N. COMMANDING.

W. Kesterloot LT

U. S. N. NAVIGATOR

TO BE RETAINED ON BOARD IN ACCORDANCE WITH CURRENT INSTRUCTIONS

FOR OFFICIAL USE ONLY